

## SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/5

### 140130 - Mydoprint SP-108 Kit Part A T/M 2 X 25L

Revision 0  
Revision date 2017-03-29

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

**Product name** 140130 - Mydoprint SP-108 Kit Part A T/M 2 X 25L

##### 1.3. Details of the supplier of the safety data sheet

|                  |   |
|------------------|---|
| <b>Company</b>   | Champion Photochemistry Sdn Bhd   |
| <b>Address</b>   | Lot 28-B Mukim Batu Industrial Area<br>6 1/2 Miles Jalan Kepong<br>52000 Kuala Lumpur<br>MALAYSIA |
| <b>Web</b>       | www.championphotochemistry.com  |
| <b>Telephone</b> | +603-6257 2600  |
| <b>Fax</b>       | +603-6257 2622  |

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

|   |  |
|---|--|
| <b>2.1.1. Classification - 1999/45/EC</b>   | C; R35 Xn; R40 Xi; R43 N; R51/53<br>Symbols: C: Corrosive. N: Dangerous for the environment. |
| <b>2.1.2. Classification - EC 1272/2008</b> | Skin Corr. 1A: H314; Skin Sens. 1: H317; Aquatic Chronic 2: H411;                            |

##### 2.2. Label elements



#### SECTION 3: Composition/information on ingredients

##### 3.2. Mixtures

67/548/EEC / 1999/45/EC

| Chemical Name  | Index No.    | CAS No.    | EC No.    | REACH Registration Number | Conc. (%w/w) | Classification                  | M-factor. |
|--|--------------|------------|-----------|---------------------------|--------------|---------------------------------|-----------|
| DI Water   |              | 7732-18-5  |           |                           | 70 - 80%     |                                 |           |
| Sodium carbonate   | 011-005-00-2 | 497-19-8   | 207-838-8 |                           | 1 - 10%      | Xi; R36                         |           |
| 4-(N-Ethyl-N-2-methanesulphonylaminoethyl)-2-methylphenylenediamine sesquisulphate monohydrate | 612-134-00-2 | 25646-71-3 | 247-161-5 |                           | 1 - 10%      | Xn; R22 R43 N; R50/53           |           |
| Pentasodium DTPA Solution 42%  |              | 140-01-2   | 205-391-3 |                           | 1 - 10%      | C; R35 Xn; R22-40               |           |
| Diethylhydroxylamine 85% w/w   |              | 3710-84-7  | 223-055-4 |                           | 1 - 10%      | Xn; R20/21 Xi; R36/37/38 R10-53 |           |
| Sodium hydroxide   | 011-002-00-6 | 1310-73-2  | 215-185-5 |                           | 1 - 10%      | C; R35                          |           |

## 140130 - Mydoprint SP-108 Kit Part A T/M 2 X 25L

Revision 0

Revision date 2017-03-29

## 3.2. Mixtures

## EC 1272/2008

| Chemical Name   | Index No.    | CAS No.    | EC No.    | REACH Registration Number | Conc. (%w/w) | Classification   | M-factor. |
|---|--------------|------------|-----------|---------------------------|--------------|--|-----------|
| DI Water  |              | 7732-18-5  |           |                           |              |  |           |
| Sodium carbonate  | 011-005-00-2 | 497-19-8   | 207-838-8 |                           |              | Eye Irrit. 2: H319;  |           |
| 4-(N-Ethyl-N-2-methanesulphonylami<br>noethyl)-2-methylphenylenediamine<br>sesquisulphate monohydrate | 612-134-00-2 | 25646-71-3 | 247-161-5 |                           |              | Acute Tox. 4: H302; Skin<br>Sens. 1: H317; Aquatic Acute<br>1: H400; Aquatic Chronic 1:<br>H410; |           |
| Pentasodium DTPA Solution 42%   |              | 140-01-2   | 205-391-3 |                           |              | Eye Dam. 1: H318; Acute<br>Tox. 4: H332;   |           |
| Diethylhydroxylamine 85% w/w  |              | 3710-84-7  | 223-055-4 |                           |              | Flam. Liq. 3: H226; Asp. Tox.<br>1: H304; Acute Tox. 4: H312;<br>Acute Tox. 4: H332;             |           |
| Triethanolamine 99%   |              | 102-71-6   |           |                           |              |  |           |
| Sodium hydroxide  | 011-002-00-6 | 1310-73-2  | 215-185-5 |                           |              | Skin Corr. 1A: H314;   |           |
| Tinopal SFP   |              | 41098-56-0 |           |                           |              |  |           |
| Fresh Air (WS) Reodorant  |              |            |           |                           |              |  |           |

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

|                     |  |
|---------------------|--|
| <b>Inhalation</b>   | Inhalation of vapour may cause shortness of breath. Move the exposed person to fresh air. Seek medical attention.  |
| <b>Eye contact</b>  | Causes burns. Causes severe inflammation and may damage the cornea. Seek medical attention. Irritating to eyes.  |
| <b>Skin contact</b> | Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.              |
| <b>Ingestion</b>    | Ingestion causes burns to the respiratory tract. DO NOT INDUCE VOMITING. If swallowed, seek medical advice immediately and show this container or label. |

## SECTION 5: Firefighting measures

## 5.1. Extinguishing media

|  |  |
|--|--|
|  | Not applicable. This product is not flammable. |
|--|--|

## 5.2. Special hazards arising from the substance or mixture

|  |  |
|--|--|
|  | Corrosive. Burning produces irritating, toxic and obnoxious fumes. |
|--|--|

## 5.3. Advice for firefighters

|  |  |
|--|--|
|  | Protective equipment. Wear suitable respiratory equipment when necessary. In case of fire and/or explosion do not breathe fumes. |
|--|--|

## SECTION 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

|  |   |
|--|---|
|  | Ensure adequate ventilation of the working area. Evacuate personnel to a safe area. Wear suitable protective equipment. |
|--|---|

## 6.2. Environmental precautions

|  |   |
|--|---|
|  | Do not allow product to enter drains. Prevent further spillage if safe. |
|--|---|

## 6.3. Methods and material for containment and cleaning up

|  |   |
|--|---|
|  | Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. |
|--|---|

## SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

|  |  |
|--|--|
|  | Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. |
|--|--|

## 140130 - Mydoprint SP-108 Kit Part A T/M 2 X 25L

Revision 0

Revision date 2017-03-29

## 7.2. Conditions for safe storage, including any incompatibilities

Keep in a dry, well ventilated area. Keep containers tightly closed.

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

## 8.1.1. Exposure Limit Values

|                  |                              |                                |
|------------------|------------------------------|--------------------------------|
| Sodium hydroxide | WEL 8-hr limit ppm: -        | WEL 8-hr limit mg/m3: -        |
|                  | WEL 15 min limit ppm: -      | WEL 15 min limit mg/m3: 2      |
|                  | WEL 8-hr limit mg/m3 total - | WEL 15 min limit mg/m3 total - |
|                  | inhalable dust:              | inhalable dust:                |
|                  | WEL 8-hr limit mg/m3 total - | WEL 15 min limit mg/m3 total - |
|                  | respirable dust:             | respirable dust:               |

## 8.2. Exposure controls

## 8.2.1. Appropriate engineering controls

Ensure adequate ventilation of the working area.

## 8.2.2. Individual protection measures

Wear chemical protective clothing.

## Eye / face protection

Approved safety goggles.

## Skin protection - Handprotection

Chemical resistant gloves (PVC).

## Respiratory protection

Wear.. Self-contained breathing apparatus.

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

|            |                  |
|------------|------------------|
| Appearance | Liquid           |
| Colour     | Yellow           |
| Solubility | Soluble in water |

## 9.2. Other information

|                  |                         |
|------------------|-------------------------|
| Specific gravity | 1.122 g/cm <sup>3</sup> |
|------------------|-------------------------|

## SECTION 10: Stability and reactivity

## 10.1. Reactivity

No dangerous reaction known.

## 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

No dangerous reaction known.

## 10.4. Conditions to avoid

See "Fire Fighting Measures".

## 10.5. Incompatible materials

No relevant information available.

## 10.6. Hazardous decomposition products

No dangerous decomposition products known.

## SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

|                           |   |
|---------------------------|---|
| Skin corrosion/irritation | May cause irritation to skin. Prolonged or repeated exposure may cause irritation to skin and mucous membranes. |
|---------------------------|---|

## 140130 - Mydoprint SP-108 Kit Part A T/M 2 X 25L

Revision 0

Revision date 2017-03-29

## 11.1. Information on toxicological effects

Repeated or prolonged exposure

May cause allergic reactions in susceptible people. May cause severe irritation to eyes and skin.

## 11.1.4. Toxicological Information

No data available

## SECTION 12: Ecological information

## 12.1. Toxicity

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

## 12.2. Persistence and degradability

No data is available on this product.

## 12.3. Bioaccumulative potential

No data is available on this product.

## Partition coefficient

Pentasodium DTPA Solution <0  
42%

## 12.4. Mobility in soil

No data is available on this product.

## 12.5. Results of PBT and vPvB assessment

Not applicable.

## 12.6. Other adverse effects

No other relevant information available.

## SECTION 13: Disposal considerations

## General information

Dispose of in compliance with all local and national regulations.

## Disposal methods

Do not empty into drains; dispose of this material and its container in a safe way. Do NOT mix with any other product. Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

## SECTION 14: Transport information

## 14.1. UN number

The product is not classified as dangerous for carriage.

## 14.2. UN proper shipping name

The product is not classified as dangerous for carriage.

## 14.3. Transport hazard class(es)

The product is not classified as dangerous for carriage.

## 14.4. Packing group

The product is not classified as dangerous for carriage.

## 14.5. Environmental hazards

The product is not classified as dangerous for carriage.

## 14.6. Special precautions for user

The product is not classified as dangerous for carriage.  
See "Exposure Controls / Personal Protection."

## 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

## 140130 - Mydoprint SP-108 Kit Part A T/M 2 X 25L

Revision 0

Revision date 2017-03-29

## 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

|  |  |
|--|--|
|  | The product is not classified as dangerous for carriage. |
|--|--|

## SECTION 15: Regulatory information

## Further information

|  |  |
|--|--|
|  | Information contained in the MSDS is to our best present knowledge correct and complete and is given in good faith but without warranty. |
|--|--|

## SECTION 16: Other information

## Other information

## Text of risk phrases in Section 3

|  |  |
|--|--|
|  | <p>R10 - Flammable</p> <p>R20/21 - Harmful by inhalation and in contact with skin.</p> <p>R22 - Harmful if swallowed.</p> <p>R35 - Causes severe burns.</p> <p>R36/37/38 - Irritating to eyes, respiratory system and skin.</p> <p>R36 - Irritating to eyes.</p> <p>R40 - Limited evidence of a carcinogenic effect.</p> <p>R43 - May cause sensitisation by skin contact.</p> <p>R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.</p> <p>R53 - May cause long-term adverse effects in the aquatic environment.</p> |
|--|--|

## Text of Hazard Statements in Section 3

|  |   |
|--|---|
|  | <p>Eye Irrit. 2: H319 - Causes serious eye irritation.</p> <p>Acute Tox. 4: H302 - Harmful if swallowed.</p> <p>Skin Sens. 1: H317 - May cause an allergic skin reaction.</p> <p>Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.</p> <p>Eye Dam. 1: H318 - Causes serious eye damage.</p> <p>Acute Tox. 4: H332 - Harmful if inhaled.</p> <p>Flam. Liq. 3: H226 - Flammable liquid and vapour.</p> <p>Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.</p> <p>Acute Tox. 4: H312 - Harmful in contact with skin.</p> <p>Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.</p> |
|--|---|

## Further information

|  |  |
|--|--|
|  | The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. |
|--|--|

## SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/5

### 140130 Mydoprint SP-108 Kit Part B T/M 2 X 25L

Revision 1  
Revision date 2017-01-23

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

|                     |  |
|---------------------|--|
| <b>Product name</b> | 140130 Mydoprint SP-108 Kit Part B T/M 2 X 25L |
|---------------------|--|

##### 1.3. Details of the supplier of the safety data sheet

|                  |   |
|------------------|---|
| <b>Company</b>   | Champion Photochemistry Sdn Bhd   |
| <b>Address</b>   | Lot 28-B Mukim Batu Industrial Area<br>6 1/2 Miles Jalan Kepong<br>52000 Kuala Lumpur<br>MALAYSIA |
| <b>Web</b>       | www.championphotochemistry.com  |
| <b>Telephone</b> | +603-6257 2600  |
| <b>Fax</b>       | +603-6257 2622  |

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

|                     |                       |
|---------------------|-----------------------|
| <b>Main hazards</b> | No Significant Hazard |
|---------------------|-----------------------|

##### 2.2. Label elements

|                     |                       |
|---------------------|-----------------------|
| <b>Risk phrases</b> | No Significant Hazard |
|---------------------|-----------------------|

#### SECTION 3: Composition/information on ingredients

##### 3.2. Mixtures

67/548/EEC / 1999/45/EC

| Chemical Name        | Index No. | CAS No.    | EC No.    | REACH Registration Number | Conc. (%w/w) | Classification | M-factor. |
|----------------------|-----------|------------|-----------|---------------------------|--------------|----------------|-----------|
| DI Water             |           | 7732-18-5  |           |                           | 40 - 50%     |                |           |
| Ammonium Fe EDTA 50% |           | 21265-50-9 | 244-302-2 |                           | 20 - 30%     |                |           |
| Ammonium Bisulphite  |           | 10192-30-0 | 233-469-7 |                           | 1 - 5%       |                |           |
| Ammonium Acetate     |           | 631-61-8   | 211-162-9 |                           | 1 - 5%       | Xi; R36        |           |

EC 1272/2008

| Chemical Name        | Index No. | CAS No.    | EC No.    | REACH Registration Number | Conc. (%w/w) | Classification  | M-factor. |
|----------------------|-----------|------------|-----------|---------------------------|--------------|---|-----------|
| DI Water             |           | 7732-18-5  |           |                           | 40 - 50%     |   |           |
| Ammonium Fe EDTA 50% |           | 21265-50-9 | 244-302-2 |                           | 20 - 30%     |   |           |
| Ammonium Bisulphite  |           | 10192-30-0 | 233-469-7 |                           | 1 - 5%       | Eye Irrit. 2: H319;                                       |           |
| Ammonium Acetate     |           | 631-61-8   | 211-162-9 |                           | 1 - 5%       | Skin Irrit. 2: H315; Eye Irrit. 2: H319; STOT SE 3: H335; |           |

#### SECTION 4: First aid measures

##### 4.1. Description of first aid measures

|                   |  |
|-------------------|--|
| <b>Inhalation</b> | Irritating to respiratory system. Inhalation may cause coughing, tightness of the chest and irritation |
|-------------------|--|

## 140130 Mydoprint SP-108 Kit Part B T/M 2 X 25L

Revision 1

Revision date 2017-01-23

## 4.1. Description of first aid measures

|              |   |
|--------------|---|
| Eye contact  | of the respiratory system. Move the exposed person to fresh air. Seek medical attention.  |
|              | Irritating to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.   |
| Skin contact | Irritating to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist. |
| Ingestion    | Ingestion may cause nausea and vomiting. Seek medical attention if irritation or symptoms persist.<br>DO NOT INDUCE VOMITING.                                   |

## SECTION 5: Firefighting measures

## 5.1. Extinguishing media

|  |                                |
|--|--------------------------------|
|  | Carbon oxides. Not applicable. |
|--|--------------------------------|

## 5.2. Special hazards arising from the substance or mixture

|  |  |
|--|--|
|  | Burning produces irritating, toxic and obnoxious fumes. Ammonia, SO <sub>x</sub> , NO <sub>x</sub> may be formed in fire conditions. |
|--|--|

## 5.3. Advice for firefighters

|  |   |
|--|---|
|  | Wear suitable respiratory equipment when necessary. |
|--|---|

## SECTION 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

|  |  |
|--|--|
|  | Ensure adequate ventilation of the working area. Wear suitable protective equipment. |
|--|--|

## 6.2. Environmental precautions

|  |   |
|--|---|
|  | Do not allow product to enter drains. Prevent further spillage if safe. |
|--|---|

## 6.3. Methods and material for containment and cleaning up

|  |   |
|--|---|
|  | Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. |
|--|---|

## SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

|  |  |
|--|--|
|  | Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing. |
|--|--|

## 7.2. Conditions for safe storage, including any incompatibilities

|  |  |
|--|--|
|  | Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers. |
|--|--|

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

## 8.1.1. Exposure Limit Values

|  |  |  |
|--|--|--|
| Ammonium Fe EDTA 50%                     | WEL 8-hr limit ppm: ammonia,               | WEL 8-hr limit mg/m <sup>3</sup> :         |
|  | aqueous solution                           |  |
|  | 50ppm 35mg/m <sup>3</sup>                  |  |
|  | WEL 15 min limit ppm:                      | WEL 15 min limit mg/m <sup>3</sup> :       |
|  | WEL 8-hr limit mg/m <sup>3</sup> total -   | WEL 15 min limit mg/m <sup>3</sup> total - |
|  | inhalable dust:                            | inhalable dust:                            |
| WEL 8-hr limit mg/m <sup>3</sup> total - | WEL 15 min limit mg/m <sup>3</sup> total - |  |
| respirable dust:                         | respirable dust:                           |  |


## 8.2. Exposure controls

## 140130 Mydoprint SP-108 Kit Part B T/M 2 X 25L

Revision 1

Revision date 2017-01-23

## 8.2. Exposure controls

|   |   |
|---|---|
|   |  |
| 8.2.1. Appropriate engineering controls | Ensure adequate ventilation of the working area.                                  |
| 8.2.2. Individual protection measures   | Wear chemical protective clothing.  |
| Eye / face protection                   | Approved safety goggles.  |
| Skin protection - Handprotection        | Chemical resistant gloves (PVC).  |
| Respiratory protection                  | Not required under normal conditions of use.                                      |

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

|   |                   |
|---|-------------------|
| Appearance                              | Liquid            |
| Colour                                  | Brown             |
| Odour                                   | Slight            |
| Odour threshold                         | Not relevant      |
| pH                                      | 5.8               |
| Melting point                           | Not relevant      |
| Initial boiling point                   | Not determined    |
| Flash point                             | Not relevant      |
| Evaporation rate                        | Not relevant      |
| Flammability (solid, gas)               | Not relevant      |
| Upper Explosive Limit                   | Not relevant      |
| Lower Explosive Limit                   | Not relevant      |
| Vapour pressure                         | Not relevant      |
| Vapour density                          | Not relevant      |
| Partition coefficient (n-octanol/water) | Not relevant      |
| Autoflammability temperature            | Not relevant      |
| Decomposition temperature               | No data available |
| Viscosity                               | Not determined    |
| Solubility                              | Soluble in water  |

## 9.2. Other information

|                  |                         |
|------------------|-------------------------|
| Specific gravity | 1.238 g/cm <sup>3</sup> |
|------------------|-------------------------|

## SECTION 10: Stability and reactivity

## 10.1. Reactivity

|  |                              |
|--|------------------------------|
|  | No dangerous reaction known. |
|--|------------------------------|

## 10.2. Chemical stability

|  |                                 |
|--|---------------------------------|
|  | Stable under normal conditions. |
|--|---------------------------------|

## 10.3. Possibility of hazardous reactions

|  |                              |
|--|------------------------------|
|  | No dangerous reaction known. |
|--|------------------------------|

## 10.4. Conditions to avoid

|  |   |
|--|---|
|  | See "Fire Fighting Measures". Avoid contact with strong acids and oxidising agents. |
|--|---|

## 10.5. Incompatible materials

|  |                                    |
|--|------------------------------------|
|  | No relevant information available. |
|--|------------------------------------|



## 140130 Mydoprint SP-108 Kit Part B T/M 2 X 25L

Revision 1  
Revision date 2017-01-23

## 10.6. Hazardous decomposition products

No dangerous decomposition products known.

## SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

## Skin corrosion/irritation

May cause irritation to skin.

## Serious eye damage/irritation

May cause irritation to eyes.

## 11.1.4. Toxicological Information

No data available

No data available.

## SECTION 12: Ecological information

## 12.1. Toxicity

No data available

## 12.2. Persistence and degradability

No data available on this product.

## 12.3. Bioaccumulative potential

No data available on this product.

## 12.4. Mobility in soil

No data available on this product.

## 12.5. Results of PBT and vPvB assessment

Not applicable.

## 12.6. Other adverse effects

No other relevant information available.

## Further information

A moderate biochemical oxygen demand will result in short term oxygen depletion in the aquatic environment.

## SECTION 13: Disposal considerations

## General information

Dispose of in compliance with all local and national regulations.

## Disposal of packaging

. Do not empty into drains; dispose of this material and its container in a safe way.

## SECTION 14: Transport information

## 14.1. UN number

The product is not classified as dangerous for carriage.

## 14.2. UN proper shipping name

The product is not classified as dangerous for carriage.

## 14.3. Transport hazard class(es)

The product is not classified as dangerous for carriage.

## 14.4. Packing group

The product is not classified as dangerous for carriage.

## 14.5. Environmental hazards

The product is not classified as dangerous for carriage.

## 14.6. Special precautions for user

The product is not classified as dangerous for carriage.

## 140130 Mydoprint SP-108 Kit Part B T/M 2 X 25L

Revision 1

Revision date 2017-01-23

## 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

|  |  |
|--|--|
|  | The product is not classified as dangerous for carriage. |
|--|--|

## Further information

|  |  |
|--|--|
|  | The product is not classified as dangerous for carriage. |
|--|--|

## SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

|  |                |
|--|----------------|
|  | Not regulated. |
|--|----------------|

## SECTION 16: Other information

## Other information

## Revision

This document differs from the previous version in the following areas:

- 9 - 9.1. Information on basic physical and chemical properties (Initial boiling point).
- 9 - 9.1. Information on basic physical and chemical properties (Melting point).
- 9 - 9.1. Information on basic physical and chemical properties (Flash point).
- 9 - 9.1. Information on basic physical and chemical properties (Flammability (solid, gas)).
- 9 - 9.1. Information on basic physical and chemical properties (Autoignition temperature).
- 9 - 9.1. Information on basic physical and chemical properties (Vapour pressure).
- 9 - 9.1. Information on basic physical and chemical properties (Viscosity).
- 9 - 9.1. Information on basic physical and chemical properties (Vapour density).
- 9 - 9.1. Information on basic physical and chemical properties (Evaporation rate).
- 9 - 9.1. Information on basic physical and chemical properties (Upper Explosive Limit).
- 9 - 9.1. Information on basic physical and chemical properties (Lower Explosive Limit).
- 9 - 9.1. Information on basic physical and chemical properties (Decomposition temperature).
- 9 - 9.1. Information on basic physical and chemical properties (Partition coefficient (n-octanol/water)).
- 9 - 9.1. Information on basic physical and chemical properties (Odour threshold).

## Text of risk phrases in Section 3

|  |                           |
|--|---------------------------|
|  | R36 - Irritating to eyes. |
|--|---------------------------|

## Text of Hazard Statements in Section 3

|  |   |
|--|---|
|  | Eye Irrit. 2: H319 - Causes serious eye irritation. |
|  | Skin Irrit. 2: H315 - Causes skin irritation.       |
|  | STOT SE 3: H335 - May cause respiratory irritation. |

## Further information

|  |  |
|--|--|
|  | The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. |
|--|--|