

## SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/6

### 140814 Mydoprint VR Developer Replenisher Part C T/M 200L

Revision 1  
Revision date 2017-06-06

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

<b>Product name</b>	140814 Mydoprint VR Developer Replenisher Part C T/M 200L
---------------------	---

##### 1.3. Details of the supplier of the safety data sheet


<b>Company</b>	Champion Photochemistry Sdn Bhd
<b>Address</b>	Lot 28-B Mukim Batu Industrial Area 6 1/2 Miles Jalan Kepong 52000 Kuala Lumpur MALAYSIA
<b>Web</b>	www.championphotochemistry.com
<b>Telephone</b>	+603-6257 2600
<b>Fax</b>	+603-6257 2622

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

<b>2.1.1. Classification - 1999/45/EC</b>	C; R35 Xn; R40 Xi; R37 Symbols: C: Corrosive.
<b>Main hazards</b>	Causes severe burns. Irritating to respiratory system. Limited evidence of a carcinogenic effect.
<b>2.1.2. Classification - EC 1272/2008</b>	Skin Corr. 1A: H314; STOT SE 3: H335;

##### 2.2. Label elements

<b>Hazard pictograms</b>	
<b>Signal Word</b>	Danger
<b>Hazard Statement</b>	Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. STOT SE 3: H335 - May cause respiratory irritation.
<b>Precautionary Statement: Prevention</b>	P260 - Do not breathe dust/fume/gas/mist/vapours/spray. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash thoroughly after handling. P271 - Use only outdoors or in a well-ventilated area. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
<b>Precautionary Statement: Response</b>	P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER/doctor/ . P312 - Call a POISON CENTER/doctor/ /if you feel unwell. P321 - Specific treatment (see on this label).

## 140814 Mydoprint VR Developer Replenisher Part C T/M 200L

Revision 1  
Revision date 2017-06-06

## 2.2. Label elements

<b>Precautionary Statement:</b> <b>Storage</b>	P363 - Wash contaminated clothing before reuse.
	P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
	P405 - Store locked up.
<b>Precautionary Statement:</b> <b>Disposal</b>	P501 - Dispose of contents/container to hazardous or special waste collection point.

## SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

## 67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
DI Water		7732-18-5			40 - 50%		
Potassium Carbonate		584-08-7	209-529-3		30 - 40%	Xi; R36/37/38	
Pentasodium DTPA Solution 42%		140-01-2	205-391-3		10 - 20%	C; R35 Xn; R22-40	
Potassium Hydroxide	019-002-00-8	1310-58-3	215-181-3		1 - 5%	Xn; R22 C; R35	
1-hydroxyethylidene-1,1 diphosphonic acid		2809-21-4	220-552-8		1 - 5%		

## EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
DI Water		7732-18-5			40 - 50%		
Potassium Carbonate		584-08-7	209-529-3		30 - 40%	Skin Irrit. 2: H315; Eye Irrit. 2: H319; STOT SE 3: H335;	
Pentasodium DTPA Solution 42%		140-01-2	205-391-3		10 - 20%	Eye Dam. 1: H318; Acute Tox. 4: H302;	
Potassium Hydroxide	019-002-00-8	1310-58-3	215-181-3		1 - 5%	Acute Tox. 4: H302; Skin Corr. 1A: H314;	
1-hydroxyethylidene-1,1 diphosphonic acid		2809-21-4	220-552-8		1 - 5%	Eye Irrit. 2: H319;	

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

<b>Inhalation</b>	Inhalation of vapour may cause shortness of breath. Move the exposed person to fresh air. Seek medical attention.
<b>Eye contact</b>	Causes burns. Causes severe inflammation and may damage the cornea. Seek medical attention. Irritating to eyes.
<b>Skin contact</b>	Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
<b>Ingestion</b>	Ingestion causes burns to the respiratory tract. DO NOT INDUCE VOMITING. If swallowed, seek medical advice immediately and show this container or label.

## SECTION 5: Firefighting measures

## 5.1. Extinguishing media

	Not applicable. This product is not flammable.
--	--

## 5.2. Special hazards arising from the substance or mixture

	Corrosive. Burning produces irritating, toxic and obnoxious fumes.
--	--

## 5.3. Advice for firefighters

	Protective equipment. Wear suitable respiratory equipment when necessary. In case of fire and/or explosion do not breathe fumes.
--	--

## SECTION 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

	Ensure adequate ventilation of the working area. Evacuate personnel to a safe area. Wear suitable
--	---

## 140814 Mydoprint VR Developer Replenisher Part C T/M 200L

Revision 1

Revision date 2017-06-06

## 6.1. Personal precautions, protective equipment and emergency procedures

protective equipment.

## 6.2. Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

## 6.3. Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

## SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area.

## 7.2. Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed.

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

## 8.1.1. Exposure Limit Values

Potassium Hydroxide	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m <sup>3</sup> : -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m <sup>3</sup> : 2
	WEL 8-hr limit mg/m <sup>3</sup> total -	WEL 15 min limit mg/m <sup>3</sup> total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m <sup>3</sup> total -	WEL 15 min limit mg/m <sup>3</sup> total -
	respirable dust:	respirable dust:

## 8.2. Exposure controls



## 8.2.1. Appropriate engineering controls

Ensure adequate ventilation of the working area.

## 8.2.2. Individual protection measures

Wear chemical protective clothing.

## Eye / face protection

Approved safety goggles.

## Skin protection -

Chemical resistant gloves (PVC).

## Handprotection

## Respiratory protection

Wear.. Self-contained breathing apparatus.

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

## 140814 Mydoprint VR Developer Replenisher Part C T/M 200L

Revision 1

Revision date 2017-06-06

## 9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Light yellow
Odour	Odourless
Vapour density	Not relevant
Partition coefficient (n-octanol/water)	Not relevant
Autoignition temperature	Not relevant
Decomposition temperature	No data available
Viscosity	Not determined
Odour threshold	Not relevant
pH	13.5
Melting point	Not relevant
Freezing Point	5 °C
Initial boiling point	Not determined
Flash point	Not relevant
Evaporation rate	Not relevant
Flammability (solid, gas)	Not relevant
Upper Explosive Limit	Not relevant
Lower Explosive Limit	Not relevant
Vapour pressure	Not relevant
Solubility	Soluble in water

## 9.2. Other information

Specific gravity	1.437 - 1.457
------------------	---------------

## SECTION 10: Stability and reactivity

## 10.2. Chemical stability

	Stable under normal conditions.
--	---------------------------------

## SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

Skin corrosion/irritation	May cause irritation to skin. Prolonged or repeated exposure may cause irritation to skin and mucous membranes.
Repeated or prolonged exposure	May cause allergic reactions in susceptible people. May cause severe irritation to eyes and skin.

## 11.1.4. Toxicological Information

	No data available
--	-------------------

## SECTION 12: Ecological information

## 12.1. Toxicity

	No data available
	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

## 12.3. Bioaccumulative potential

Partition coefficient	Pentasodium DTPA Solution <0 42%
-----------------------	-------------------------------------

## SECTION 13: Disposal considerations

## General information

	Dispose of in compliance with all local and national regulations.
--	---

## 140814 Mydoprint VR Developer Replenisher Part C T/M 200L

Revision 1

Revision date 2017-06-06

## Disposal methods

Do not empty into drains; dispose of this material and its container in a safe way. Do NOT mix with any other product. Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

## SECTION 14: Transport information

## 14.1. UN number

The product is not classified as dangerous for carriage.

## 14.2. UN proper shipping name

The product is not classified as dangerous for carriage.

## 14.3. Transport hazard class(es)

The product is not classified as dangerous for carriage.

## 14.4. Packing group

The product is not classified as dangerous for carriage.

## 14.5. Environmental hazards

The product is not classified as dangerous for carriage.

## 14.6. Special precautions for user

The product is not classified as dangerous for carriage.

## 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

The product is not classified as dangerous for carriage.

## SECTION 15: Regulatory information

## Further information

Information contained in the MSDS is to our best present knowledge correct and complete and is given in good faith but without warranty.

## SECTION 16: Other information

## Other information

## Revision

This document differs from the previous version in the following areas:

- 2 - 2.1. Classification of the substance or mixture.
- 2 - 2.1.2. Classification - EC 1272/2008.
- 2 - Hazard pictograms.
- 2 - Precautionary Statement: Prevention.
- 2 - Precautionary Statement: Response.
- 2 - Precautionary Statement: Storage.
- 9 - 9.1. Information on basic physical and chemical properties (Appearance).
- 9 - 9.1. Information on basic physical and chemical properties (Colour).
- 9 - 9.1. Information on basic physical and chemical properties (Odour).
- 9 - 9.1. Information on basic physical and chemical properties (Initial boiling point).
- 9 - 9.1. Information on basic physical and chemical properties (Melting point).
- 9 - 9.1. Information on basic physical and chemical properties (Flash point).
- 9 - 9.1. Information on basic physical and chemical properties (Flammability (solid, gas)).
- 9 - 9.1. Information on basic physical and chemical properties (Autoignition temperature).
- 9 - 9.1. Information on basic physical and chemical properties (Vapour pressure).
- 9 - 9.1. Information on basic physical and chemical properties (Relative density).
- 9 - 9.1. Information on basic physical and chemical properties (Viscosity).
- 9 - 9.1. Information on basic physical and chemical properties (Vapour density).
- 9 - 9.1. Information on basic physical and chemical properties (Evaporation rate).
- 9 - 9.1. Information on basic physical and chemical properties (Upper Explosive Limit).
- 9 - 9.1. Information on basic physical and chemical properties (Lower Explosive Limit).
- 9 - 9.1. Information on basic physical and chemical properties (Decomposition temperature).
- 9 - 9.1. Information on basic physical and chemical properties (Partition coefficient (n-octanol/water)).

## 140814 Mydoprint VR Developer Replenisher Part C T/M 200L

Revision 1

Revision date 2017-06-06

## Other information

Text of risk phrases in Section 3	9 - 9.1. Information on basic physical and chemical properties (Odour threshold).
	9 - 9.2. Other information (Specific gravity).
Text of Hazard Statements in Section 3	12 - 12.1. Toxicity.
	15 - Risk phrases.
	R22 - Harmful if swallowed.
	R35 - Causes severe burns.
	R36/37/38 - Irritating to eyes, respiratory system and skin.
	R40 - Limited evidence of a carcinogenic effect.
Text of Hazard Statements in Section 3	Skin Irrit. 2: H315 - Causes skin irritation.
	Eye Irrit. 2: H319 - Causes serious eye irritation.
	STOT SE 3: H335 - May cause respiratory irritation.
	Eye Dam. 1: H318 - Causes serious eye damage.
	Acute Tox. 4: H332 - Harmful if inhaled.
	Acute Tox. 4: H302 - Harmful if swallowed.
Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.	

## Further information

	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.
--	--