

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/5

140158 Mydoneg 100 Developer Replenisher Part A T/M 4x10L

Revision 3
Revision date 2017-06-09

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	140158 Mydoneg 100 Developer Replenisher Part A T/M 4x10L
---------------------	-----------------------------------------------------------

1.3. Details of the supplier of the safety data sheet


Company	Champion Photochemistry Sdn Bhd
Address	Lot 28-B Mukim Batu Industrial Area 6 1/2 Miles Jalan Kepong 52000 Kuala Lumpur MALAYSIA
Web	www.championphotochemistry.com
Telephone	+603-6257 2600
Fax	+603-6257 2622

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.1. Classification - 1999/45/EC	C; R34 Xn; R40 Xi; R37 Symbols: C: Corrosive.
Main hazards	Causes burns. Irritating to respiratory system. Limited evidence of a carcinogenic effect.
2.1.2. Classification - EC 1272/2008	Skin Corr. 1A: H314; STOT SE 3: H335;

2.2. Label elements

Hazard pictograms	
Signal Word	Danger
Hazard Statement	Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. STOT SE 3: H335 - May cause respiratory irritation.
Precautionary Statement: Prevention	P260 - Do not breathe dust/fume/gas/mist/vapours/spray. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash thoroughly after handling. P271 - Use only outdoors or in a well-ventilated area. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement: Response	P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER/doctor/ . P312 - Call a POISON CENTER/doctor/ /if you feel unwell. P321 - Specific treatment (see on this label).

140158 Mydoneg 100 Developer Replenisher Part A T/M 4x10L

Revision 3

Revision date 2017-06-09

2.2. Label elements

Precautionary Statement: Storage	P363 - Wash contaminated clothing before reuse.
	P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
	P405 - Store locked up.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to hazardous or special waste collection point.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
DI Water		7732-18-5			50 - 60%		
Potassium Carbonate		584-08-7	209-529-3		30 - 40%	Xi; R36/37/38	
Pentasodium DTPA Solution 42%		140-01-2	205-391-3		1 - 5%	C; R35 Xn; R22-40	
Sodium Sulfite Anhydrous		7757-83-7			1 - 5%		
Potassium Hydroxide	019-002-00-8	1310-58-3	215-181-3		0.5 - 1%	Xn; R22 C; R35	

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
DI Water		7732-18-5			50 - 60%		
Potassium Carbonate		584-08-7	209-529-3		30 - 40%	Skin Irrit. 2: H315; Eye Irrit. 2: H319; STOT SE 3: H335;	
Pentasodium DTPA Solution 42%		140-01-2	205-391-3		1 - 5%	Eye Dam. 1: H318; Acute Tox. 4: H332;	
Sodium Sulfite Anhydrous		7757-83-7			1 - 5%	STOT SE 3: H335;	
Potassium Hydroxide	019-002-00-8	1310-58-3	215-181-3		0.5 - 1%	Acute Tox. 4: H302; Skin Corr. 1A: H314;	

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Inhalation of vapour may cause shortness of breath. Move the exposed person to fresh air. Seek medical attention.
Eye contact	Causes burns. Causes severe inflammation and may damage the cornea. Seek medical attention. Irritating to eyes.
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	Ingestion causes burns to the respiratory tract. DO NOT INDUCE VOMITING. If swallowed, seek medical advice immediately and show this container or label.

SECTION 5: Firefighting measures

5.1. Extinguishing media

	Not applicable. This product is not flammable.
--	------------------------------------------------

5.2. Special hazards arising from the substance or mixture

	Corrosive. Burning produces irritating, toxic and obnoxious fumes.
--	--------------------------------------------------------------------

5.3. Advice for firefighters

	Protective equipment. Wear suitable respiratory equipment when necessary. In case of fire and/or explosion do not breathe fumes.
--	----------------------------------------------------------------------------------------------------------------------------------

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

	Ensure adequate ventilation of the working area. Evacuate personnel to a safe area. Wear suitable
--	---------------------------------------------------------------------------------------------------

140158 Mydoneg 100 Developer Replenisher Part A T/M 4x10L

Revision 3

Revision date 2017-06-09

6.1. Personal precautions, protective equipment and emergency procedures

protective equipment.

6.2. Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

6.3. Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area.

7.2. Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Exposure Limit Values

Potassium Hydroxide	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m ³ : -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m ³ : 2
	WEL 8-hr limit mg/m ³ total -	WEL 15 min limit mg/m ³ total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m ³ total -	WEL 15 min limit mg/m ³ total -
	respirable dust:	respirable dust:

8.2. Exposure controls



8.2.1. Appropriate engineering controls

Ensure adequate ventilation of the working area.

8.2.2. Individual protection measures

Wear chemical protective clothing.

Eye / face protection

Approved safety goggles.

Skin protection -

Chemical resistant gloves (PVC).

Handprotection

Respiratory protection

Wear: Self-contained breathing apparatus.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

140158 Mydoneg 100 Developer Replenisher Part A T/M 4x10L

Revision 3

Revision date 2017-06-09

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Colourless/Yellow
Odour	Odourless
Odour threshold	Not relevant
pH	13
Melting point	Not relevant
Initial boiling point	Not determined
Flash point	Not relevant
Evaporation rate	Not relevant
Flammability (solid, gas)	Not relevant
Upper Explosive Limit	Not relevant
Lower Explosive Limit	Not relevant
Vapour pressure	Not relevant
Vapour density	Not relevant
Partition coefficient (n-octanol/water)	Not relevant
Autolgnition temperature	Not relevant
Decomposition temperature	No data available
Viscosity	Not determined
Solubility	Soluble in water

9.2. Other information

Specific gravity	1.4
-------------------------	-----

SECTION 10: Stability and reactivity

10.2. Chemical stability

	Stable under normal conditions.
--	---------------------------------

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Skin corrosion/irritation	May cause irritation to skin. Prolonged or repeated exposure may cause irritation to skin and mucous membranes.
Repeated or prolonged exposure	May cause allergic reactions in susceptible people. May cause severe irritation to eyes and skin.

11.1.4. Toxicological Information

	No data available
--	-------------------

SECTION 12: Ecological information

12.1. Toxicity

	No data available
	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

12.3. Bioaccumulative potential

Partition coefficient

	Pentasodium DTPA Solution <0 42%
--	--------------------------------------------

SECTION 13: Disposal considerations

General information

	Dispose of in compliance with all local and national regulations.
--	-------------------------------------------------------------------

140158 Mydoneg 100 Developer Replenisher Part A T/M 4x10L

Revision 3

Revision date 2017-06-09

Disposal methods

Do not empty into drains; dispose of this material and its container in a safe way. Do NOT mix with any other product. Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

SECTION 14: Transport information

14.1. UN number

The product is not classified as dangerous for carriage.

14.2. UN proper shipping name

The product is not classified as dangerous for carriage.

14.3. Transport hazard class(es)

The product is not classified as dangerous for carriage.

14.4. Packing group

The product is not classified as dangerous for carriage.

14.5. Environmental hazards

The product is not classified as dangerous for carriage.

14.6. Special precautions for user

The product is not classified as dangerous for carriage.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

The product is not classified as dangerous for carriage.

SECTION 15: Regulatory information

Further information

No Significant Hazard.

SECTION 16: Other information

Other information

Revision

This document differs from the previous version in the following areas:
 9 - 9.1. Information on basic physical and chemical properties (Flash point).
 9 - 9.1. Information on basic physical and chemical properties (Autoignition temperature).
 9 - 9.1. Information on basic physical and chemical properties (Relative density).
 9 - 9.1. Information on basic physical and chemical properties (Decomposition temperature).
 9 - 9.2. Other information (Specific gravity).

Text of risk phrases in Section 3

R22 - Harmful if swallowed.
 R35 - Causes severe burns.
 R36/37/38 - Irritating to eyes, respiratory system and skin.
 R40 - Limited evidence of a carcinogenic effect.

Text of Hazard Statements in Section 3

Skin Irrit. 2: H315 - Causes skin irritation.
 Eye Irrit. 2: H319 - Causes serious eye irritation.
 STOT SE 3: H335 - May cause respiratory irritation.
 Eye Dam. 1: H318 - Causes serious eye damage.
 Acute Tox. 4: H332 - Harmful if inhaled.
 Acute Tox. 4: H302 - Harmful if swallowed.
 Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/5

140158 Mydoneg 100 Developer Replenisher Part B T/M 4x10L

Revision 2
Revision date 2016-11-28

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	140158 Mydoneg 100 Developer Replenisher Part B T/M 4x10L
---------------------	-----------------------------------------------------------

1.3. Details of the supplier of the safety data sheet


Company	Champion Photochemistry Sdn Bhd
Address	Lot 28-B Mukim Batu Industrial Area 6 1/2 Miles Jalan Kepong 52000 Kuala Lumpur MALAYSIA
Web	www.championphotochemistry.com
Telephone	+603-6257 2600
Fax	+603-6257 2622

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.1. Classification - 1999/45/EC	Xn; R22-40-48/22 Xi; R36/38-43 N; R50 Symbols: Xn: Harmful. N: Dangerous for the environment.
Main hazards	Harmful if swallowed. Irritating to eyes and skin. Limited evidence of a carcinogenic effect. May cause sensitisation by skin contact. Harmful: danger of serious damage to health by prolonged exposure if swallowed. Very toxic to aquatic organisms.
2.1.2. Classification - EC 1272/2008	Acute Tox. 4: H302; Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319; Carc. 2: H351; STOT RE 2: H373; Aquatic Acute 1: H400;

2.2. Label elements

Hazard pictograms	
Signal Word	Warning
Hazard Statement	Acute Tox. 4: H302 - Harmful if swallowed. Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1: H317 - May cause an allergic skin reaction. Eye Irrit. 2: H319 - Causes serious eye irritation. Carc. 2: H351 - Suspected of causing cancer . STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure . Aquatic Acute 1: H400 - Very toxic to aquatic life.
Precautionary Statement: Prevention	P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P260 - Do not breathe dust/fume/gas/mist/vapours/spray. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash thoroughly after handling. P270 - Do no eat, drink or smoke when using this product. P272 - Contaminated work clothing should not be allowed out of the workplace.

140158 Mydoneg 100 Developer Replenisher Part B T/M 4x10L

Revision 2

Revision date 2016-11-28

2.2. Label elements

Precautionary Statement: Response	P273 - Avoid release to the environment.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
	P301+P312 - IF SWALLOWED: Call a POISON CENTER/doctor/ /if you feel unwell.
	P302+P352 - IF ON SKIN: Wash with plenty of water/ .
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Precautionary Statement: Storage	P308+P313 - IF exposed or concerned: Get medical advice/attention.
	P314 - Get medical advice/attention if you feel unwell.
	P321 - Specific treatment (see on this label).
	P330 - Rinse mouth.
	P332+P313 - If skin irritation occurs: Get medical advice/attention.
Precautionary Statement: Disposal	P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
	P337+P313 - If eye irritation persists: Get medical advice/attention.
	P391 - Collect spillage.
	P405 - Store locked up.
	P501 - Dispose of contents/container to hazardous or special waste collection point.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
DI Water		7732-18-5			70 - 80%		
Hydroxylamine Sulfate		10039-54-0	233-118-8		20 - 25%	E; R2 Xn; R22-40-48/22 Xi; R36/38-43 N; R50	

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
DI Water		7732-18-5			70 - 80%		
Hydroxylamine Sulfate		10039-54-0	233-118-8		20 - 25%	Acute Tox. 4: H302; Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319; Carc. 2: H351; STOT RE 2: H373; Aquatic Acute 1: H400;	

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Inhalation of vapour may cause shortness of breath. Move the exposed person to fresh air. Seek medical attention.
Eye contact	Causes burns. Causes severe inflammation and may damage the cornea. Seek medical attention. Irritating to eyes.
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	Ingestion causes burns to the respiratory tract. DO NOT INDUCE VOMITING. If swallowed, seek medical advice immediately and show this container or label.

SECTION 5: Firefighting measures

5.1. Extinguishing media

	Not applicable. This product is not flammable.
--	------------------------------------------------

5.2. Special hazards arising from the substance or mixture

	Corrosive. Burning produces irritating, toxic and obnoxious fumes.
--	--------------------------------------------------------------------

5.3. Advice for firefighters

140158 Mydoneg 100 Developer Replenisher Part B T/M 4x10L

Revision 2

Revision date 2016-11-28

5.3. Advice for firefighters

Protective equipment. Wear suitable respiratory equipment when necessary. In case of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation of the working area. Evacuate personnel to a safe area. Wear suitable protective equipment.

6.2. Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

6.3. Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area.

7.2. Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed.

SECTION 8: Exposure controls/personal protection

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Ensure adequate ventilation of the working area.

8.2.2. Individual protection measures

Wear chemical protective clothing.

Eye / face protection

Approved safety goggles.

Skin protection - Handprotection

Chemical resistant gloves (PVC).

Respiratory protection

Wear: Self-contained breathing apparatus.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Colourless
Odour	Odourless
Odour threshold	Not relevant
pH	3
Melting point	Not relevant
Initial boiling point	Not determined
Flash point	Not relevant
Evaporation rate	Not relevant
Flammability (solid, gas)	Not relevant
Upper Explosive Limit	Not relevant
Lower Explosive Limit	Not relevant
Vapour pressure	Not relevant
Vapour density	Not relevant
Relative density	1.16
Partition coefficient (n-octanol/water)	Not relevant
Viscosity	Not determined

140158 Mydoneg 100 Developer Replenisher Part B T/M 4x10L

Revision 2

Revision date 2016-11-28

SECTION 10: Stability and reactivity**10.2. Chemical stability**

Stable under normal conditions.

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Skin corrosion/irritation**

May cause irritation to skin. Prolonged or repeated exposure may cause irritation to skin and mucous membranes.

Repeated or prolonged exposure

May cause allergic reactions in susceptible people. May cause severe irritation to eyes and skin.

11.1.4. Toxicological Information

No data available

SECTION 12: Ecological information**12.1. Toxicity**

No data available

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

SECTION 13: Disposal considerations**General information**

Dispose of in compliance with all local and national regulations.

Disposal methods

Do not empty into drains; dispose of this material and its container in a safe way. Do NOT mix with any other product. Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

SECTION 14: Transport information**14.1. UN number**

The product is not classified as dangerous for carriage.

14.2. UN proper shipping name

The product is not classified as dangerous for carriage.

14.3. Transport hazard class(es)

The product is not classified as dangerous for carriage.

14.4. Packing group

The product is not classified as dangerous for carriage.

14.5. Environmental hazards

The product is not classified as dangerous for carriage.

14.6. Special precautions for user

The product is not classified as dangerous for carriage.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

The product is not classified as dangerous for carriage.

SECTION 15: Regulatory information**Further information**

No Significant Hazard.

SECTION 16: Other information**Other information****Revision**This document differs from the previous version in the following areas:.
2 - Hazard pictograms.

140158 Mydoneg 100 Developer Replenisher Part B T/M 4x10L

Revision 2

Revision date 2016-11-28

Other information

	<p>9 - 9.1. Information on basic physical and chemical properties (Initial boiling point).</p> <p>9 - 9.1. Information on basic physical and chemical properties (Melting point).</p> <p>9 - 9.1. Information on basic physical and chemical properties (Flash point).</p> <p>9 - 9.1. Information on basic physical and chemical properties (Flammability (solid, gas)).</p> <p>9 - 9.1. Information on basic physical and chemical properties (Vapour pressure).</p> <p>9 - 9.1. Information on basic physical and chemical properties (Viscosity).</p> <p>9 - 9.1. Information on basic physical and chemical properties (Vapour density).</p> <p>9 - 9.1. Information on basic physical and chemical properties (Evaporation rate).</p> <p>9 - 9.1. Information on basic physical and chemical properties (Upper Explosive Limit).</p> <p>9 - 9.1. Information on basic physical and chemical properties (Lower Explosive Limit).</p> <p>9 - 9.1. Information on basic physical and chemical properties (Partition coefficient (n-octanol/water)).</p> <p>9 - 9.1. Information on basic physical and chemical properties (Odour threshold).</p>
<p>Text of risk phrases in Section 3</p>	<p>R2 - Risk of explosion by shock, friction, fire or other sources of ignition.</p> <p>R22 - Harmful if swallowed.</p> <p>R36/38 - Irritating to eyes and skin.</p> <p>R40 - Limited evidence of a carcinogenic effect.</p> <p>R43 - May cause sensitisation by skin contact.</p> <p>R48/22 - Harmful: danger of serious damage to health by prolonged exposure if swallowed.</p> <p>R50 - Very toxic to aquatic organisms.</p>
<p>Text of Hazard Statements in Section 3</p>	<p>Acute Tox. 4: H302 - Harmful if swallowed.</p> <p>Skin Irrit. 2: H315 - Causes skin irritation.</p> <p>Skin Sens. 1: H317 - May cause an allergic skin reaction.</p> <p>Eye Irrit. 2: H319 - Causes serious eye irritation.</p> <p>Carc. 2: H351 - Suspected of causing cancer .</p> <p>STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure .</p> <p>Aquatic Acute 1: H400 - Very toxic to aquatic life.</p>
<p>Further information</p>	<p>The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.</p>

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/5

140158 Mydoneg 100 Developer Replenisher Part C T/M 4x10L

Revision 3
Revision date 2018-07-25

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	140158 Mydoneg 100 Developer Replenisher Part C T/M 4x10L
---------------------	-----------------------------------------------------------

1.3. Details of the supplier of the safety data sheet


Company	Champion Photochemistry Sdn Bhd
Address	Lot 28-B Mukim Batu Industrial Area 6 1/2 Miles Jalan Kepong 52000 Kuala Lumpur MALAYSIA
Web	www.championphotochemistry.com
Telephone	+603-6257 2600
Fax	+603-6257 2622

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.1. Classification - 1999/45/EC	T; R25 Xn; R48/22 Xi; R43 N; R50/53 Symbols: T: Toxic. N: Dangerous for the environment.
Main hazards	Toxic if swallowed. May cause sensitisation by skin contact. Harmful: danger of serious damage to health by prolonged exposure if swallowed. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
2.1.2. Classification - EC 1272/2008	Acute Tox. 3: H301; Skin Sens. 1: H317; STOT RE 2: H373; Aquatic Chronic 1: H410;

2.2. Label elements

Hazard pictograms	
Signal Word	Danger
Hazard Statement	Acute Tox. 3: H301 - Toxic if swallowed. Skin Sens. 1: H317 - May cause an allergic skin reaction. STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.
Precautionary Statement: Prevention	P260 - Do not breathe dust/fume/gas/mist/vapours/spray. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement: Response	P301+P310 - IF SWALLOWED: IF SWALLOWED: Immediately call a POISON CENTER/doctor/. P302+P352 - IF ON SKIN: Wash with plenty of water/. P314 - Get medical advice/attention if you feel unwell.

140158 Mydoneg 100 Developer Replenisher Part C T/M 4x10L

Revision 3

Revision date 2018-07-25

2.2. Label elements

Precautionary Statement: Storage Precautionary Statement: Disposal	P321 - Specific treatment (see on this label). P330 - Rinse mouth. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P391 - Collect spillage.
	P405 - Store locked up.
	P501 - Dispose of contents/container to hazardous or special waste collection point.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
DI Water		7732-18-5			60 - 70%		
4-(N-Ethyl-N-2-hydroxyethyl)-2-methylphenylenediamine sulphate	612-133-00-7	25646-77-9	247-162-0		30 - 40%	T; R25 Xn; R48/22 R43 N; R50/53	
Sodium Sulfite Anhydrous		7757-83-7			0.5 - 1%		

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
DI Water		7732-18-5			60 - 70%		
4-(N-Ethyl-N-2-hydroxyethyl)-2-methylphenylenediamine sulphate	612-133-00-7	25646-77-9	247-162-0		30 - 40%	Acute Tox. 3: H301; STOT RE 2: H373; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;	
Sodium Sulfite Anhydrous		7757-83-7			0.5 - 1%	STOT SE 3: H335;	

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Inhalation of vapour may cause shortness of breath. Move the exposed person to fresh air. Seek medical attention.
Eye contact	Causes burns. Causes severe inflammation and may damage the cornea. Seek medical attention. Irritating to eyes.
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	Ingestion causes burns to the respiratory tract. DO NOT INDUCE VOMITING. If swallowed, seek medical advice immediately and show this container or label.

SECTION 5: Firefighting measures

5.1. Extinguishing media

	Not applicable. This product is not flammable.
--	------------------------------------------------

5.2. Special hazards arising from the substance or mixture

	Corrosive. Burning produces irritating, toxic and obnoxious fumes.
--	--------------------------------------------------------------------

5.3. Advice for firefighters

	Protective equipment. Wear suitable respiratory equipment when necessary. In case of fire and/or explosion do not breathe fumes.
--	----------------------------------------------------------------------------------------------------------------------------------

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

	Ensure adequate ventilation of the working area. Evacuate personnel to a safe area. Wear suitable protective equipment.
--	-------------------------------------------------------------------------------------------------------------------------

140158 Mydoneg 100 Developer Replenisher Part C T/M 4x10L

Revision 3

Revision date 2018-07-25

6.2. Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

6.3. Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area.

7.2. Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed.

SECTION 8: Exposure controls/personal protection

8.2. Exposure controls



8.2.1. Appropriate engineering controls

Ensure adequate ventilation of the working area.

8.2.2. Individual protection measures

Wear chemical protective clothing.

Eye / face protection

Approved safety goggles.

Skin protection -
Handprotection

Chemical resistant gloves (PVC).

Respiratory protection

Wear: Self-contained breathing apparatus.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Brown
Odour	Pungent
Odour threshold	Not relevant
pH	2.25
Melting point	Not relevant
Initial boiling point	Not determined
Flash point	Not relevant
Evaporation rate	Not relevant
Flammability (solid, gas)	Not relevant
Upper Explosive Limit	Not relevant
Lower Explosive Limit	Not relevant
Vapour pressure	Not relevant
Vapour density	Not relevant
Relative density	1.193
Partition coefficient (n-octanol/water)	Not relevant
Viscosity	Not determined
Solubility	Soluble in water

SECTION 10: Stability and reactivity

10.2. Chemical stability

140158 Mydoneg 100 Developer Replenisher Part C T/M 4x10L

Revision 3

Revision date 2018-07-25

10.2. Chemical stability

Stable under normal conditions.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Skin corrosion/irritation

May cause irritation to skin. Prolonged or repeated exposure may cause irritation to skin and mucous membranes.

Repeated or prolonged exposure

May cause allergic reactions in susceptible people. May cause severe irritation to eyes and skin.

11.1.4. Toxicological Information

No data available

SECTION 12: Ecological information

12.1. Toxicity

No data available

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

SECTION 13: Disposal considerations

General information

Dispose of in compliance with all local and national regulations.

Disposal methods

Do not empty into drains; dispose of this material and its container in a safe way. Do NOT mix with any other product. Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

SECTION 14: Transport information

14.1. UN number

The product is not classified as dangerous for carriage.

14.2. UN proper shipping name

The product is not classified as dangerous for carriage.

14.3. Transport hazard class(es)

The product is not classified as dangerous for carriage.

14.4. Packing group

The product is not classified as dangerous for carriage.

14.5. Environmental hazards

The product is not classified as dangerous for carriage.

14.6. Special precautions for user

The product is not classified as dangerous for carriage.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

The product is not classified as dangerous for carriage.

SECTION 15: Regulatory information

Further information

Information contained in the MSDS is to our best present knowledge correct and complete and is given in good faith but without warranty.

SECTION 16: Other information

Other information

Revision

This document differs from the previous version in the following areas:
14 - ADR/RID.

140158 Mydoneg 100 Developer Replenisher Part C T/M 4x10L

Revision 3

Revision date 2018-07-25

Other information

Text of risk phrases in Section 3	14 - IMDG. 14 - IATA.
	R25 - Toxic if swallowed. R43 - May cause sensitisation by skin contact. R48/22 - Harmful: danger of serious damage to health by prolonged exposure if swallowed. R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Text of Hazard Statements in Section 3	Acute Tox. 3: H301 - Toxic if swallowed. Skin Sens. 1: H317 - May cause an allergic skin reaction. STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure . Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. STOT SE 3: H335 - May cause respiratory irritation.

Further information

	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.
--	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------